


205492 - Cremonese Multi Matic 2200 E50 fix con 3 funghi HBB 1.951-2.200 HM1.050 argento

Disegni tecnici



		L							Nº
argento	2200	2.096,5	50	1.050	1.951 - 2.200	260,5	1	10	205492


Tabella posizionamento viti

Nº		1	2	3	4	5	6	7	8	9	10	11	12	13	14
205492	12	18,5	91,5	270	360	550	705	795	863,5	1.124	1.388	1.465	1.729		

Tabella punti di chiusura


Nº		Z1	Z2	Z3	Z4	
205492	3	315	750	1.420		

Quote della scatola cremonese




Schema di foratura

Per serramenti in legno, PVC e alluminio



Schema di tranciatura




• Consigliamo di trattare il taglio dei componenti TRICOAT-PLUS con la vernice di ritocco TRICOAT-PLUS (cod. 358440).

1. Frontale
2. Asta mobile

Posizionamento scontri alza anta


Scontro alza-anta A4 / senza scrocco porta



* con cremonesi grandezza 660




A12




* con cremonesi grandezza 660

Oscillazione e regolazione in altezza dell'alza anta




Collegamento a clips

Agganciare collegamento a clips






Sganciare collegamento clips



Collegamento scarpetta dentata



Regolazione pressione

Fungo e nottolino

